



600mm Arm Spot Welding Machine Multi Point Rowing Welding Machine

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Jin Hongxiang
- Certification: CE
- Model Number: JD-60
- Minimum Order Quantity: 1 set
- Price: Negotiable
- Packaging Details: Export safety wooden case
- Delivery Time: 5-10 working days. Or negotiation
- Supply Ability: 50 Set/Sets per Month



Product Specification

- Product Name: Spot Welder
- Applicable Industries: Building Cover Plate, Railway / Road Guardrail, Pet Cage, Storage Rack, Net Basket
- Rated Capacity: 60KVA
- Rated Duty Cycle: 80%
- Usage: Welding, Multi-point Welding
- Voltage: 380V, 50HZ
- Warranty: 1 Year
- Key Selling Points: Taiwan's Water-cooled Wet Control Transformer Will Not Be Affected By Overload
- Weight (KG): 360 KG
- Control System: Touch Electric Box Control
- Cylinder Stroke: 50MM
- Nominal Frequency: 50/60HZ



Product Description

Air pressure spot welder rowing welding machine 80KVA

Other names

Spot welder, butt welder, welder, iron sheet spot welder, nut spot welder, stainless steel spot welder, special spot welder, mesh spot welder, wire mesh spot welder,	air pressure spot welder, pneumatic spot welder, pneumatic welder,	row welder, multi spot welder, high-power spot welder, iron wire spot welder, AC spot welder, 3-phase spot welder, galvanized plate spot welder, Battery spot welder, multi cylinder spot welder, DC spot welder,	touch welder, medium frequency spot welder, precision spot welder, resistance spot welder, spot welding machine, customized spot welder, Taiwan spot welder, gantry spot welder, small spot welder,
Spot welding machine, touch welding machine, multi spot welding machine, welding machine, sheet metal spot welding machine, nut spot welding machine, stainless steel spot welding machine, special spot welding machine, mesh spot welding machine, wire mesh spot welding machine,		air pressure spot welding machine, butt welding machine, medium frequency spot welding machine, high-power spot welding machine, wire spot welding machine, AC spot welding machine, galvanized sheet spot welding machine, battery spot welding machine, multi cylinder spot welding machine, DC spot welding machine,	row welding machine, pneumatic spot welding machine, welding machine, pneumatic precision spot welding machine, resistance spot welding machine, three-phase spot welding machine, Customized spot welding machine, Taiwan spot welding machine, gantry spot welding machine, small spot welding machine,

Definition of spot welding machine and row welding machine:


The spot welding machine is the same as the main machine of the row welding machine, but the effect to be achieved is different due to the different electrodes of the row welding mold.

The row welding machine is installed with the row welding die


The spot welding machine is installed with the spot welding die,

The choice of which mold to use is different from the product.

Row welding die



Spot welding die



Product Description

Performance characteristics

1. Cylinder direct pressure mechanism, good follow-up performance, fast welding speed, combined cylinder, Taiwan AS2410 large flow solenoid valve. Taiwan AS2410 solenoid valve has strong suction and sensitive response. It is ideal for continuous row welding of mesh.

**Taiwan AS2410 large
flow solenoid valve**



**Connected large
air cylinder**

2. All red copper water cooling temperature control device of transformer has the advantages of long service life, low noise, safety and convenient use.

A. Taiwan transformer features: sufficient capacity, greater welding force and stronger conductivity.

B. Water circulation cooling, which can be used within the rated range to ensure 24 hours of operation.

C. Moreover, the temperature control device can work overload and automatically cut off power to protect the whole machine from being affected.



3.The water-saving forced cooling mode is adopted, and the main circuit adopts high-power SCR contactless switch, with high conductivity and low power loss , High temperature automatic protection.





A corner of the spot welder warehouse



Technical parameters:

Technical parameters:								
Model	Rated power KVA	Input voltage V	Nominal frequency HZ	Maximum short circuit current A	arm length mm	electrode travel MM	Cooling water volume	Weight KG
JD-60	60	380	50/60	22000	600	50	10	350
JD-80	80	380	50/60	28000	600	50	10	400
JD-100	100	380	50/60	30000	600	50	10	430
JD-120	120	380	50/60	32000	600	50	12	460
JD-150	150	380	50/60	34000	600	50	12	500
JDX-35	35	380	50/60	15000	400	50	/	197
JDX-50	50	380	50/60	20000	400	50	/	248

We always attach great importance to product quality. Before leaving the factory, it will be fully aged and debugged. And we always adhere to the principle of "providing customers with better quality, better price and better service."



Dongguan Jinghongxiang Automation Equipment Co., Ltd.



13925780098



jhx16888@gmail.com



wire-bendingmachine.com

No. 78, Shangzhong Road, Shangdi Industrial Zone, Liaobu Town, Dongguan, Guangdong, China